

Page 1 of 6 **SAFETY DATA SHEET** SDS-E-SM22CP Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 8/3/2023 1. PRODUCT & COMPANY IDENTIFICATION 1.1 Product Name: **DEOXIT® GREASE, TYPE SM22CP (COPPER PARTICLES)** 1.2 Chemical Name: **GREASE** Part No. SM22-C2G (2 grams); Part No. SM22-C1 (28 g); 1.3 Part No. SM22-C6 (170 g); Synonyms: Part No. SM22-C8 (226 g); Part No. SM22-C8TP (226 g) Part No. SM22-C360 (3.6 Kg); Part No. SM22-C35 (15.9 Kg); Trade Names: 1.4 DeoxIT® Grease Type SM22-Cp 1.5 Product Uses & Restrictions: Lubricating grease 1.6 Distributor's Name CAIG Laboratories, Inc. 12200 Thatcher Court, Poway, CA 92064-6876 USA 1.7 Distributor's Address: 18 **Emergency Phone:** CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 (CCN205206) 1.9 Business Phone / Fax: +1 (800) 224-4123 2. HAZARDS IDENTIFICATION This product is classified as a HAZARDOUS SUBSTANCE but not as DANGEROUS GOODS according to the 2.1 Hazard Identification: classification criteria of NOHSC: 1088 (2004) and ADG Code (Australia). The highly refined mineral oil contains < 3% (w/w%) DMSO extract, according to IP346. DANGER! MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS. Label Elements: 2.2 Hazard Statements (H): H304 – May be fatal if swallowed and enters airways. Precautionary Statements (P): P280 - Wear protective gloves and eye protection. P302 + P352 -IF ON SKIN - Wash with plenty of soap and water. P301+P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P331 - Do NOT induce vomiting. P321 - Refer to section 4 of this Safety Data Sheet (First Aid). P305+P351+P338 - IF IN EYES - Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do -



## 3. COMPOSITION & INGREDIENT INFORMATION

treatment, storage or disposal facility.

**KEEP OUT OF REACH OF CHILDREN** 

continue rinsing. P405 - Store locked up. P501 - Dispose of contents/container through licensed

				EXPOSURE LIMITS IN AIR (mg/m³)									
					AC	GIH		NOHSC			OSHA		
				%	ppm		ppm		ppm				
CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.		TLV	STEL	ES- TWA	ES- STEL	ES- PEAK	PEL	STEL	IDLH	OTHER
LITHIUM GREASE LUBRICATING BASE OIL	NA	NA	NA	60-90	NA	NA	NF	NF	NF	NA	NA	NA	
HIGHLY REFINED MINERAL OIL (C15-C50) MISTURE 70-99%	NA Asp. Tox. 1; I	NA H304	NA	1-5	(5)	(10)	(5)	NA	NA	(5)	NA	NA	MIST
WEIGHT MOLYBDENUM DISULFIDE	1317-33-5	QA4697000	215-263-9	1-5	NA	NA	NF	NF	NF	NA	NA	NA	
	Acute Tox. 4;	H332		1. 4	1 114	T					1		1
DEOXIT ® DX100L (TRADE SECRET)	REACH Reg.	No. Non-Hazard	 ous/Proprietary	>1	NA	NA	NF	NF	NF	NA	NA	NA	
COPPER	7440-50-8	GL5325000	231-159-6	<9.0	0.2	NA	NF	0.2	NF	0.1	NA	100	

Asbestos free and less than 1% crystalline silica

Indection:

1 1 First Aid

Acute Health Effects:

Other Warnings:

# 4. FIRST AID MEASURES

If ingested do not induce vomiting. If product has been swallowed drink plenty of water or milk

Non-irritating when used as directed. Moderate irritation to eves and skin near affected areas. Additionally, high

			4. FIRST AID MEASURES – cont'd
		Inhalation:	None expected.
			some sensitive individuals.
		Skin:	May be irritating to skin. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in
		Lycs.	watering.
	'	Eyes:	Moderately irritating to the eyes. Symptoms of overexposure may include redness, itching, irritation and
4.2	Effects of Exposure:	Ingestion:	If product is swallowed, may cause nausea, vomiting and/or diarrhea.
		Inhalation:	Remove victim to fresh air at once. If breathing difficult, administer oxygen. If breathing stops give artificial respiration. Keep person warm, quiet and get medical attention.
			least 15 minutes.
		Skin:	Wash thoroughly with soap and water. In case of contact, immediately flush skin with plenty of water for at
			water for at least 15 minutes lifting upper and lower lids, occasionally.
		Eyes:	Splashes are not likely; however, if product gets in the eyes, flush with copious amounts of lukewarm
			estimate of the time at which the material was ingested and the amount of the substance that was swallowed.
			unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an
			IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give water or milk to an
4.1	FIISt Alu.	ingestion.	in ingested, do not induce vorniting. In product has been swallowed, drink plenty of water of milk p

concentrations of vapors can cause drowsiness, dizziness, headaches and nausea.



Page 2 of 6 SDS-E-SM22CP

ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Stand SDS Revision Date: 8/3/2023 4.5 Chronic Health Effects Non-irritating when used as directed. Overexposure may trigger asthma-like symptoms in some sensitive individuals. May also induce skin sensitization and respiratory hypersensitivity. Possible allergic dermatitis. 46 Target Organs: Eyes, Skin. 4.7 Medical Conditions Pre-existing dermatitis, other skin conditions, and disorders of the **HEALTH** 0 Aggravated by Exposure: target organs (eyes, skin, and respiratory system). **FLAMMABILITY** 1 PHYSICAL HAZARDS 0 PROTECTIVE EQUIPMENT В EYES SKIN 5. FIREFIGHTING MEASURES 5.1 Fire & Explosion Hazards: This product is not flammable. However, if involved in a fire, this product may decompose at high temperatures to form toxic gases (e.g., CO,CO<sub>x</sub>). 52 Extinguishing Methods: Water, Foam, CO<sub>2</sub>, Dry Chemical. Use water spray to cool unopened containers. 5.3 Firefighting Procedures: Fight fires as for surrounding materials. As in any fire, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure-demand) and full protective gear. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Avoid spraying water directly into storage containers because of danger of boil-over. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters must use full bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies. 6. ACCIDENTAL RELEASE MEASURES 6.1 Spills: Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. Plastic or rubber gloves, respirator, eve protection and apron may be required for clean-up of large spills. Small Spills: Wear appropriate protective equipment including gloves and protective eyewear. Use a non-combustible material such as vermiculite or sand to soak up the product and place into a container for later disposal. Do not use water or a material such as "speedy dry" to soak up material. Sweep up material using non-sparking materials (e.g., plastic brooms, shovels, dustpans) and place into a plastic container or plastic liner within another container. Large Spills: Keep incompatible materials (e.g., organics such as oil) away from spill. Stay upwind and away from spill or release. Isolate immediate hazard area and keep unauthorized personnel out of area. Stop spill or release if it can be done with minimal risk. Wear appropriate protective equipment including respiratory protection as conditions warrant. 7. HANDLING & STORAGE INFORMATION 7.1 Work & Hygiene Practices: Do not eat, drink or smoke when handling this product. Contents under pressure. Handle as to avoid puncturing container(s). When used as intended, no additional protective equipment is necessary. Use chemical goggles if eye contact is possible. Wash unintentional residues with soap and warm water. Storage & Handling: 7.2 Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans) away from heat and direct sunlight. Avoid temperatures above 120 °F. Keep away from incompatible substances. Protect containers from physical damage. To avoid unintentional spraying keep cap in place when not in use. Special Precautions: Clean all spills promptly. Spilled material may present a slipping hazard. 8. EXPOSURE CONTROLS & PERSONAL PROTECTION ACGIH NOHSC OTHER Exposure Limits: **OSHA** ppm (mg/m<sup>3</sup>) STEL ES-TWA ES-STEL ES-PEAK CHEMICAL NAME(S) TLV STEL HIGHLY REFINED MINERAL (10)(5) NA (5) NA MIST **OILS** 8.2 Ventilation & Engineering General mechanical (e.g., fans) or natural ventilation is sufficient when this product is in use. Use local or general Controls exhaust ventilation to effectively remove and prevent buildup of vapors or mist generated from the handling of this product. Ensure appropriate decontamination equipment is available (e.g., sink, safety shower, eye-wash station) Respiratory Protection: 8.3 No special respiratory protection is required under typical circumstances of use or handling. In instances where dusts of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR §1910.134, applicable U.S. State regulations, or the Canadian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC member States, or Australia. Eve Protection: Avoid eye contact. None required under normal conditions of use. Safety glasses could be used when handling or using large quantities of this product. 8.5 Hand Protection: None required under normal conditions of use. However, may cause skin irritation in some sensitive individuals. When handling large quantities (e.g., ≥ 1 gallon (3.8 L)), wear rubber, nitrile or impervious plastic gloves. 8.6 Body Protection: No apron required when handling small quantities. When handling large quantities (e.g., ≥ 5 lbs), eye wash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water. 9. PHYSICAL & CHEMICAL PROPERTIES Appearance: Black to grey/copper semi-solid



Page 3 of 6 SDS-E-SM22CP

SDS Revision Date: 8/3/2023

ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards Odor 9.2 Petroleum odor 9.3 Odor Threshold: NA 9.4 pH: NA Melting Point/Freezing Point: 9.5 NA Initial Boiling Point/Boiling 9.6 >450 °C (842 °F) estimated Range: 9.7 204 °C (399 °F) COC Flashpoint 9.8 Upper/Lower Flammability NA Vapor Pressure: 9.9 <0.01 mmHg (estimated) @ 37.8 °C (100 °F) 9.10 Vapor Density: > 1 Relative Density: 9.11 10.87 kg/l @ 15 °C (59°F) estimated 9.12 Solubility: Soluble in hydrocarbons; insoluble in water Partition Coefficient (log Pow): 9.13 NA Autoignition Temperature: 9.14 NA Decomposition Temperature: 9.15 NA 170 mm2/s @ 40 °C (104 °F) (minimum) 9.16 Viscosity: 9.17 Other Information: NA 10. STABILITY & REACTIVITY 10.1 Stability: Stable under normal conditions; unstable with heat or contamination. 10.2 Hazardous Decomposition Hydrogen Sulfide (elevated temperatures), Alkyl Mercaptans (elevated temperatures) Products: 10.3 Hazardous Polymerization: Will not occur. 10.4 Conditions to Avoid Open flames, sparks, high heat, incompatible substances and direct sunlight. 10.5 Incompatible Substances Avoid extreme heat and ignition sources. Store away from acids and oxidizing agents (chlorates, peroxides, etc.) 11. TOXICOLOGICAL INFORMATION Inhalation: YES 11.1 Routes of Entry Absorption: YES Ingestion: YES 11.2 Toxicity Data: This product has NOT been tested on animals to obtain toxicology data. Toxicology data, found in scientific literature, is available for some of the components of the product and is not presented in this document. 11.3 Acute Toxicity: Highly Refined Mineral Oils: Mineral oil mists derived from highly refined oils are reported to have low acute and subacute toxicities in animals. Effects from single & short-term repeated exposures to high concentrations of mineral oil mists well above applicable workplace exposure levels include lung inflammatory reaction, lipoid granuloma formation and lipoid pneumonia. In acute & sub-acute studies involving exposures to lower concentrations of mineral oil mists at or near current work place exposure levels produced no significant effects. 11.4 Chronic Toxicity: In long term studies (up to two years) no carcinogenic effects have been reported in any animal species tested. 11.5 Suspected Carcinogen: This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or other reproductive harm. For more information go to www.P65Warnings.ca.gov. 11.6 Reproductive Toxicity: This product is not reported to produce reproductive toxicity in humans. Mutagenicity This product is not reported to produce mutagenic effects in humans Embryotoxicity: This product is not reported to produce embryotoxic effects in humans. Teratogenicity: This product is not reported to cause teratogenic effects in humans. Reproductive Toxicity: This product is not reported to cause reproductive effects in humans. 11.7 Irritancy of Product The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure 11.8 Biological Exposure Indices: NE 11.9 Physician Recommendations: Treat symptomatically. 12. ECOLOGICAL INFORMATION 12.1 Environmental Stability: There is no specific data available for this product. 12 2 Effects on Plants & Animals: An environmental fate analysis has not been conducted on this specific product. However, plants and animals may experience harmful or fatal effects when coated with petroleum-based products Effects on Aquatic Life: 12.3 Petroleum-based (mineral) lube oils will normally float on water. In stagnant or slow-flowing waterways, an oil layer can cover a large surface area. As a result, this oil layer might limit or eliminate natural atmospheric oxygen transport into the water. With time, if not removed, oxygen depletion in the waterway can result in a loss of marine life or create an anaerobic environment. This material contains phosphorus which is a controlled element for disposal in effluent waters in most sections of North America. Phosphorus is known to enhance the formation of algae. Severe algae growth can reduce oxygen content in the water possibly below levels necessary to support marine life.



15.8

Other Requirements:

# **SAFETY DATA SHEET**

Page 4 of 6 SDS-E-SM22NP

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision: 2.0 SDS Revision Date: 8/3/2023 13. DISPOSAL CONSIDERATIONS Waste Disposal: 13.1 Products covered by this MSDS, in their original form, when disposed as waste, are considered non hazardous waste according to Federal RCRA regulations (40 CFR 261). Disposal should be in accordance with local, state and federal regulations. Dispose of in accordance with federal, state and local regulations. 13.2 Special Considerations: NA 14. TRANSPORTATION INFORMATION The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR. 49 CFR (GND): **NOT REGULATED** IATA (AIR) NOT REGULATED IMDG (OCN): 14.3 **NOT REGULATED** TDGR (Canadian GND): 14.4 NOT REGULATED 14.5 ADR/RID (EU): **NOT REGULATED** 14.6 SCT (MEXICO): **NOT REGULATED** ADGR (AUS): 14.7 **NOT REGULATED** 15. REGULATORY INFORMATION SARA Reporting This product does not contain any substances subject to SARA Title III, section 313 reporting requirements. Requirements 15.2 SARA Threshold Planning There are no specific Threshold Planning Quantities for the components of this product. Quantity: 15.3 TSCA Inventory Status: The components of this product are listed on the TSCA Inventory CERCLA Reportable Quantity 15.4 NA (RQ): 15.5 Other Federal Requirements: Clean Water Act (CWA) 311: This material is classified as an oil under Section 311 of the Clean Water Act (CWA) and the Oil Pollution Act of 1990 (OPA). Discharges or spills which produce a visible sheen on waters of the United States, their adjoining shorelines, or into conduits leading to surface waters must be reported to the EPA's National Response Center at +1 (800) 424-8802 15.6 Other Canadian Regulations: This product has been classified according to the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS D2B (Other Toxic Effects). State Regulatory Information: 15.7 No ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Minnesota Hazardous Substances List (MN) & Pennsylvania Right-to-Know List (PA). No other ingredients are found on the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan

(WA), Wisconsin Hazardous Substances List (WI)

reproductive harm. For more information, go to www.P65Warnings.ca.gov.

Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List

This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or other



Page 5 of 6 SDS-E-SM22NP

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards SDS Revision: 2.0 SDS Revision Date: 8/3/2023

1 100	74104 10 001171, 7100, 1	Total Control of the
		16. OTHER INFORMATION
16.1	Other Information:	DANGER! MAY BE FATAL IF SWALLOWED AND ENTERS AIRWAYS. Avoid contact with the eyes. Wear protective gloves and eye protection. IF ON SKIN – Wash with plenty of soap and water. If skin irritation occurs: get medical advice/attention. IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting. Specific Treatment: refer to Section 4 of the Safety Data Sheet (First Aid). IF IN EYES - Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. Store locked up. KEEP LOCKED UP AND OUT OF REACH OF CHILDREN.
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.
16.3	Disclaimer:	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of ShipMate's & CAIG Laboratories, Inc.'s knowledge, the information contained herein is reliable and accurate as of this date; however accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.
16.4	Prepared for:	CAIG Laboratories, Inc. 12200 Thatcher Court Poway, CA 92064-6876 Tel: +1 (800) CAIG-123 (244-4123) Fax: +1 (858) 486-8398 fax http://www.caig.com/
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com



Page 6 of 6 SDS-E-SM22NP

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & 1272/2008/EC Standards

SDS Revision: 2.0

SDS Revision Date: 8/3/2023

### **DEFINITION OF TERMS**

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

#### **GENERAL INFORMATION:**

CAS No.	Chemical Abstract Service Number
RTECS No.	Registry of Toxic Effects of Chemical Substances Number
EINECS No.	European Inventory of Existing Commercial Chemical Substances Number

#### **EXPOSURE LIMITS IN AIR:**

ACGIH	American Conference on Governmental Industrial Hygienists
IDLH	Immediately Dangerous to Life and Health
NOHSC	National Occupational Health and Safety Commission (Australia)
OSHA	U.S. Occupational Safety and Health Administration
PEL Permissible Exposure Limit	
STEL	Short Term Exposure Limit
TLV Threshold Limit Value	
TWA	Time Weighted Average

#### FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body.

#### HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


#### **HEALTH, FLAMMABILITY & REACTIVITY RATINGS:**

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard



# PERSONAL PROTECTION RATINGS:

Α			
В			
С		THE STATE OF THE S	
D		H.	
Е			
F		HA.	





#### OTHER STANDARD ABBREVIATIONS:

Carc	Carcinogenic	
Irrit	Irritant	
NA	Not Available	
NR	No Results	
ND	Not Determined	
NE	Not Established	
NF	Not Found	
SCBA	Self-Contained Breathing Apparatus	
Sens	Sensitization	
STOT RE	OT RE Specific Target Organ Toxicity – Repeat Exposure	
STOT SE	TOT SE Specific Target Organ Toxicity – Single Exposure	

#### NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILI	FLAMMABILITY LIMITS IN AIR:		
Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition		
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source		
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source		

#### **HAZARD RATINGS:**

0	Minimal Hazard	FLAMMABILITY
1	Slight Hazard	\
2	Moderate Hazard	REACTIVITY
3	Severe Hazard	
4	Extreme Hazard	
ACD	Acidic	
ALK	Alkaline	
COR	Corrosive	── / <b>▼ ₩</b> У
₩	Use No Water	HEALTH 🔪
OX	Oxidizer	SPECIAL
TREFOIL	Radioactive	PRECAUTIONS

#### TOXICOLOGICAL INFORMATION:

Lethal Dose (solids & liquids) which kills 50% of the exposed animals
Lethal concentration (gases) which kills 50% of the exposed animal
Concentration expressed in parts of material per million parts
Lowest dose to cause a symptom
Lowest concentration to cause a symptom
Lowest dose (or concentration) to cause lethal or toxic effects
International Agency for Research on Cancer
National Toxicology Program
Registry of Toxic Effects of Chemical Substances
Bioconcentration Factor
Median threshold limit
Coefficient of Oil/Water Distribution

### REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System			
DOT	U.S. Department of Transportation			
TC	Transport Canada			
EPA	U.S. Environmental Protection Agency			
DSL	Canadian Domestic Substance List			
NDSL	Canadian Non-Domestic Substance List			
PSL	Canadian Priority Substances List			
TSCA	U.S. Toxic Substance Control Act			
EU	European Union (European Union Directive 67/548/EEC)			
WGK	Wassergefährdungsklassen (German Water Hazard Class)			

## WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	<b>(</b>			<b>(</b>	<b>®</b>		
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

#### CLP/GHS (1272/2008/EC) PICTOGRAMS:

			$\Diamond$	A PARTIES AND A				*
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment